



Index



Index

A

- Accessories, 7.10
- Acoustic ceilings systems, 6.11
- Acoustic, 5.5
- Aesthetics, 2.6
- Alarm systems, 5.20
- American National Standards Institute (ANSI). 4.9
- Analogous colors, 3.8
- Anthropometrics, 2.7
- Application guidelines, 6.31
 - for ceilings, 6.35
 - for floors, 6.32
 - for walls, 6.34
- Applicability of the Design Guide for Interiors,
 - AR 415-15, 1.2
 - ER 1110-345-122, 1.2
- Architectural systems, 5.1
- Architectural and Engineering Instructions,
 - Appendix A.2
- Army interior design process, Appendix A.1
- Army Regulation 415-15, Appendix A.2
- Art, 7.11
- Audio visual equipment, 7.10

B

- Balance, 4.4
 - Asymmetrical balance, 4.4
 - Radial balance, 4.5
 - Symmetrical balance, 4.4
- Blinds, 7.6
- Brightness, 3.4
- Building systems and components, 5.1
- Building-related interior design, 1.2, Appendix A.9

C

- Carpet, 6.12
 - Backing systems:
 - Action-back, 6.16
 - Padded backing, 6.17
 - Primary backing, 6.16

- Secondary Backing, 6.16
 - Unitary backing, 6.16
- Broadloom, 6.14
- Carpet tile, 6.14
- Cleaning, 6.17
 - Dry extraction, 6.20
 - Dry foam, 6.20
 - Hot water extraction, 6.20
 - Wet shampoo, 6.20
- Construction:
 - Fusion bonded, 6.15
 - Knit, 6.15
 - Tufted, 6.14
 - Woven, 6.15
- Dye process:
 - Piece-dyed, 6.13
 - Skein-dyed, 6.13
 - Solution-dyed, 6.13
 - Yarn-dyed, 6.13
- Face types:
 - Cut and loop pile, 6.16
 - Cut pile, 6.15
 - Loop pile, 6.16
 - Tip shear, 6.16
- Installation methods:
 - Direct Glue, 6.17
 - Free Lay, 6.17
 - Stretched, 6.17
- Material:
 - Nylon, 6.13
 - Olefin, 6.13
 - Wool, 6.13
- Casegoods, 7.3
- Ceilings, 5.2
- Cellular floor systems, 5.22
- Ceramic tile, 6.10
- Chroma, 3.7
- Cognition, 2.3
- Color, 4.2
- Color fastness, 6.27
- Color harmonies, 4.3
- Color rendering index (CRI), 5.29
- Color retention, 6.27
- Color triad, 3.8
- Color wheel, 3.7

- Communication , 2.5
- Communications systems, 5.19
- Complementary colors, 3.8
- Concept design, Appendix A.6
- Concrete, 6.1
- Construction and life safety, 5.5
- Contract furnishings, 7.1
- Contract seating, 7.1
- Contrast, 3.5
- Contrasting color schemes, 4.3
- Convection, 5.14
- Conventional casegoods, 7.3
- Cork, 6.11
- Correlated color temperature (CCT), 5.29
- Crowding, 2.2
- Custom casegoods, 7.5
 - Custom grade, 7.5
 - Economy grade, 7.5
 - Premium grade, 7.5

D

- Data and communications, 5.19
- Data collection and programming, Appendix B.1
- Decorative accessories, 7.10
- Design, Appendix A.5
- Design directives, Appendix A.3
 - Code 1, Appendix A.3
 - Code 2, Appendix A.3
 - Code 3, Appendix A.3
 - Code 4, Appendix A.4
 - Code 5, Appendix A.4
 - Code 6, Appendix A.4
 - Code 9, Appendix A.4
- Design services during construction and installation, Appendix A.9
- Designing with light, 5.31
 - Ambient, 5.31
 - Direct 5.32
 - Indirect, 5.32
 - Task, 5.30
- Desk/conference chairs, 7.2
 - Active ergonomic, 7.2
 - Passive ergonomic, 7.2
- Developing a color scheme, 4.9

Dimensional stability, 6.27
Direct glare, 3.5
Directional signage, 7.8
Doors, 5.4
Drain pipes, 5.17

E

Electrical systems, 5.19
Elements of design, 4.1
Emphasis, 4.5
Engineered wood products, 6.7
Ergonomic design, 2.7

F

Fabric and textiles, 6.25
 Drapeability, 6.25
 Durability, 6.25
 Hand, 6.25
 Performance enhancers, 6.27
 Acrylic backing, 6.28
 Foam backing, 6.28
 Paper backing, 6.28
 Spunbonding, 6.28
 Treatments, 6.28
 Anti-microbial finishes, 6.30
 Flame-retardant coatings, 6.28
 Soil and stain repellents, 6.30
 Staph fluid barriers, 6.30
 Vinylized fabrics, 6.30
 Types, 6.26
 Natural textiles, 6.26
 Synthetic textiles, 6.26
 Weight, 6.25
Federal Acquisition Regulations (FAR), Appendix A.7
Federal Prison Industries (FPI) UNICOR, Appendix A.8
Fibers:
 Continuous Filament, 6.12
 Staple Fibers, 6.12
Film-applied finishes, 6.21
Final design, Appendix A.7
Fire hose stations, 5.18
Fire protection, 5.18
Flat wire, 5.21
Floors, 5.2

- Fluorescent lamps and fixtures, 5.26, 5.30
 - Compact fluorescent, 5.26
 - Straight-linear fluorescent "T" lamps, 5.26
- Flush door, 5.4
- Forced air, 5.14
- Form, 4.1
- Formal group, Appendix B.7
- Functional efficiency, 2.6
- Funding for Military Construction Projects,
Appendix A.4
- Furnishings, 1.3, 7.1
- Furniture, 7.1
- Furniture-related interior design, 1.2, Appendix A.9,
Appendix A.10

G

- Glass, 6.8
- Glare, 3.5
- General Services Administration (GSA) schedules,
Appendix A.7
- Granite, 6.2
- Group dynamics, 2.4

H

- Hard window treatments, 7.6
- Hardwoods, 6.3
- Harmony, 4.5
 - Unity, 4.5
 - Variety, 4.5
- Hearing, 2.6
- Heating, ventilating and air conditioning (HVAC), 5.12
 - Central air distribution systems, 5.13
 - Central water distribution systems, 5.13
 - Hybrid distribution systems, 5.14
 - Local distribution systems, 5.14
- High intensity discharge (HID) lamps and fixtures, 5.27, 5.30
 - High pressure sodium (HPS), 5.30
 - Metal halide, 5.28
- Horizontal blinds, 7.6
- Hue, 3.6
- Human behavior and the interior environment, 2.1
- Human response to the interior environment, 2.4
- Humidity control, 5.15

HVAC system, (See Heating, ventilating and air conditioning)

I

- Incandescent lamps and fixtures, 5.24
 - Decorative - F, G, C, and B, 5.24
 - General service - A, S, P, PS, and T, 5.24
 - Low voltage, 5.25
 - Reflector - R, ER, and PAR, 5.24
 - Tungsten-halogen lamps, 5.25
- Industrial composite boards, 6.7
 - Medium density fiberboard, 6.7
 - Oriented strand board, 6.7
 - Wafer board, 6.7
- Individual space, Appendix B.6
- Informal group space, Appendix B.7
- Informational signage, 7.8
- Initiation of design, Appendix A.5
- Installation Design Guide, Appendix A.11
- Institutional furnishings, 7.1
- Integral distribution systems, 5.21
- Interaction levels, 2.1
- Intimate space, 2.2

L

- Lacquer, 6.23
- Laminated safety glass, 6.9
- Lamp types, 5.23
- Lamps and their effect on color, 5.29
 - Fluorescent, 5.30
 - High intensity discharge, 5.30
 - Incandescent, 5.30
 - Tungsten-halogen, 5.30
- Life safety and health concerns, 2.8
- Light and color, 3.1
- Light in relation to surface, 3.6
- Lighting, 5.23
- Lighting rules of thumb, 5.33
- Line, 4.1
- Linoleum, 6.11
- Lounge seating, 7.1

M

- Maison Domino, 5.10
- Marble, 6.2
- Masonry, 6.1
- Materials, 6.1
- Matte reflection, 3.6
- Mechanical system, 5.12
- Metals, 6.2
- Military Construction Projects, Appendix A.4
- Millwork, 5.3
- Mobility, 2.7
- Modular casegoods, 7.3
- Multiple seating, 7.1

O

- Occupational Safety and Health Administration (OSHA), 4.9
- Open office, Appendix B.6
- Operations and Maintenance Projects, Appendix A.5
- Operations policy, Appendix A.11
- Overhead cable distribution systems, 5.20

P

- Paint, 6.21
 - Acrylic, 6.21
 - Alkyds, 6.21
 - Epoxy, 6.22
 - Finishes:
 - Flat, 6.22
 - Eggshell, 6.22
 - High-gloss, 6.22
 - Semi-gloss, 6.22
 - Latex, 6.21
 - Oil-based, 6.21
 - Water-based, 6.21
- Paneling, 5.4
- Partition, 5.1
- Perception, 2.3
- Personal space, 2.2
- Perspective, 3.2
- Physiological determinants , 2.6
- Planning, Appendix B.5

Planning administrative work environments,
Appendix B.1
Planning and programming, Appendix A.4
Plants, 7.12
Plastic, 6.7
Plastic laminate, 6.8
Plumbing, 5.16
Poke-through electrical distribution systems, 5.22
Porcelain tile, 6.10
Power poles, 5.21
Primary interior finish materials, 6.1
Principles of design, 4.1, 4.4
Privacy, 2.1
Procurement, Appendix A.7
Progression, 4.5
Project engineering with parametric estimating,
Appendix A.6
Proportion, 4.6
Psychological determinants, 2.5
Psychological human response, 2.3
Public space, 2.2

Q

Quarry tile, 6.10

R

Radiant heat, 5.14
Raised access flooring, 5.21
Reflectance, 3.4
Reflecting glare, 3.5
Reflection, 3.6
Regulatory signage, 7.8
Related color schemes, 4.3
Relative humidity, 5.15
Reorganization and changing mission, Appendix A.11
Repetition, 4.5
Residential furnishings, 7.1
Resilient flooring, 6.11
Rhythm, 4.5
Risers, 5.16
Rubber, 6.12
Running trim, 5.4

S

- Scale, 4.6
- Secondary colors, 3.7
- Sedimentary stone, 6.2
- Semi-specular reflection, 3.6
- Shade, 3.7
- Shape, 4.1
- Sheet vinyl, 6.12
- Sick Building Syndrome, 5.15
- Side chairs, 7.1
- Signage/graphics, 7.8
- Social space, 2.2
- Sociological determinants, 2.4
- Sociological human need, 2.1
- Softwoods, 6.3
- Soil and stain repellents, 6.30
- Space, 4.2
- Spatial behavior, 2.3
- Spatial perception and definition, 3.2
- Specialty coatings, 6.22
- Specular reflection, 3.6
- Sprinkler systems, 5.17
 - Dry pipe, 5.17
 - Wet pipe, 5.17
- Stability, 2.6
- Stain, 6.23
- Stain resistance, 6.27
- Standard designs, Appendix A.3
- Standing trim, 5.4
- Standpipes, 5.18
- Static-conductive tiles, 6.12
- Static electricity, 5.15
- Stile and rail doors, 5.5
- Stone, 6.2
 - Igneous, 6.2
 - Metamorphic, 6.2
- Structural systems, 5.10
- Systems furniture, 7.4

T

- Team space, Appendix B.7
- Terrazzo, 6.10
- Territoriality, 2.2
- Tertiary colors, 3.7

Texture, 4.2
Textile characteristics, 6.27
Textile wallcoverings, 6.24
The Illuminating Engineering Society of North America
(IESNA), 3.4
Tile, 6.10
Traps, 5.17
Trench duct, 5.22

U

Underfloor duct systems, 5.21
User responsibilities, Appendix A.11

V

Value, 3.6
Varnish, 6.23
Ventilation, 5.15
Vent, 5.17
Vertical blinds, 7.6
Vinyl composition tile (VCT), 6.11
 Static-conductive, 6.12
Vinyl wallcoverings, 6.24
Vision, 2.6
Visual privacy, 2.5
Volatile organic compounds (VOC), 6.24
Volume, 4.2

W

Wall board, 6.9
Wallcovering, 6.24
Wallpapers, 6.24
Window treatment, 7.5
 Cornices, 7.7
 Curtains, 7.6
 Draperies, 7.6
 Maintenance of, 7.8
 Sagging, 7.7
 Shades, 7.6
 Shrinkage, 7.7
 Valances, 7.7
Wire glass, 6.9
Wood, 6.3
 Dimensional sizes, 6.4

- Grading, 6.3
- Laminated, 6.4
- Nominal sizes, 6.4
- Plain sawn, 6.3
- Quarter sawn, 6.3
- Seasoning, 6.3
- Surfacing, 6.3
- Veneers, 6.4
 - Book matching, 6.6
 - Plain slicing, 6.5
 - Quarter sawn, 6.5
 - Random matching, 6.7
 - Rift cut, 6.6
 - Rotary cut, 6.5
 - Slip matching, 6.7